

| Product Code: | Issue Number: | Issue Date: | Issued By: | IP4X      |
|---------------|---------------|-------------|------------|-----------|
| TGBT66        | 2.0           | 18/11/2022  | ADH        | GERTIFIED |

## **Description:**

# 150X150 IP4X 90° GUSSET BEND TOP LID

## Features:

Our IP4X turnbuckle trunking offers a range of gusset bends and tees which allow a greater bend radius for cables.

Designed with built-in couplers on all outlets and an integrated lip which fit inside the trunking body, while the lid is designed to fit over the main trunking lid. Manufactured from continuously hot dipped zinc coated low carbon steel strip to BSEN10346: 2009.



#### Important:

Cable trunking is designed such that the main body carries the weight of cables. Trunking should NOT be installed in any way that causes the lid to carry the cable weight.

ERTIFI

#### Technical:

| Width150 mmLength281 mmMaterial1.0 mm steelFinishPre-Galvanised SteelTrunking TypeTurnbuckle Gusset BendStandardBS EN 50085-1; BS EN 10346 |               |                            | Ca        |
|--|---------------|----------------------------|-----------|
| Length281 mmMaterial1.0 mm steelFinishPre-Galvanised SteelTrunking TypeTurnbuckle Gusset BendStandardBS EN 50085-1; BS EN 10346            | Height        | 150 mm                     | ma        |
| Length281 mmMaterial1.0 mm steelFinishPre-Galvanised SteelTrunking TypeTurnbuckle Gusset BendStandardBS EN 50085-1; BS EN 10346            | Width         | 150 mm                     | Tru<br>Wa |
| FinishPre-Galvanised SteelTrunking TypeTurnbuckle Gusset BendStandardBS EN 50085-1; BS EN 10346  | Length        | 281 mm                     | we        |
| Trunking TypeTurnbuckle Gusset BendStandardBS EN 50085-1; BS EN 10346  | Material      | 1.0 mm steel               |           |
| Standard BS EN 50085-1; BS EN 10346  | Finish        | Pre-Galvanised Steel       |           |
|  | Trunking Type | Turnbuckle Gusset Bend     |           |
|  | Standard      | BS EN 50085-1; BS EN 10346 |           |
| IP Rating IP4X   | IP Rating     | IP4X                       |           |

### **Multi-Compartment Options**

Standard trunking and accessories are available in multi compartment options. Trunking and accessories are supplied with equal compartments as standard. For unequal compartments, details must be supplied at the time of order. 3 compartment is available in width code 3 and above.

#### Weights:

| 1 Compartment | 2 Compartment | 3 Compartment |
|---------------|---------------|---------------|
| 1.039 Kg      | 1.266 Kg      | 1.493 Kg      |

The approximate weights given are for pre-galvanised finish only, in kilograms (nominal) and subject to material thickness tolerance.

#### Dimensions: mm

| н  | 152 mm |
|----|--------|
| W  | 281 mm |
| D  | 148 mm |
| P1 | 118 mm |
| P2 | 31 mm  |
|    |        |

Dimensions are identical for single and multi-compartment

